

CALIFORNIA STATE MUTUAL AID PRE-INCIDENT PREPAREDNESS GUIDELINE



June 4, 2024

PREPAREDNESS GUIDELINE

TABLE OF CONTENTS

CALIFORNIA STATE MUTUAL AID PRE-INCIDENT PREPAREDNESS GUIDELINE	1
MOBILIZATION OPERATIONS	1
GLOSSARY OF TERMS	2
EXPLANATION OF THE 7-DAY SIGNIFICANT FIREPOTENTIAL PRODUCT	6
INSTRUCTIONS FOR USE	8
MOBILIZATION SCORE SHEET.....	9
PREDICTIVE SERVICES(Meteorological links).....	10
WILDLAND FIRE RESOURCE REQUEST SHEET.....	11
MUD AND DEBRIS FLOW RESOURCE REQUEST SHEET.....	13
RESOURCE COMMUNICATIONS	15
DEMOBILIZATION PLAN..... (Reference CA Mobilization Guide Chapter 10, pg. 26).....	16
RESOURCE REQUEST PROCESS(Flowchart, pg. 17)	18

PREPAREDNESS GUIDELINE

CALIFORNIA STATE MUTUAL AID PRE-INCIDENT PREPAREDNESS GUIDELINE

The California State Mutual Aid Pre-Incident Preparedness Guideline has been developed to address resource augmentation for anticipated significant fire or other disaster events. It is a preparation tool and meant to be used as a guideline that can assist the operational areas (OA) and mutual aid regions in determining the level of augmentation for personnel, equipment, and crews.

In order to determine the most appropriate resources, this Pre-Incident Preparedness Guideline assumes resource orders are in addition to normal staffing. Only when your local fire agency, or OA determines there is a need to exceed above normal staffing and equipment to combat a pre-determined threat, a request should be facilitated.

This Pre-Incident Preparedness Guideline contains several worksheets to assist the reader in establishing the number and type of resources that would be recommended for a:

- **Moderate Event**
- **Severe Event**
- **Extreme Event**

Using the mobilization score sheet will assist managers in estimating the severity of an impending event. The severity of the event prompts the amount of resources to order; and the amount of resources ordered determines the number of prepositioned resource locations.

Command and control of these resources must remain under the host agency. The resources assigned through the use of this plan may be drawn from any local government agency.

MOBILIZATION OPERATIONS

The first process used to determine the preparedness level for each event is through the use of the mobilization score sheet. The mobilization score sheet uses numerous factors to determine the level of severity for the event.

In addition to the mobilization score sheet, other considerations may be addressed to assess the level of severity for the event such as:

- Potential threat to lives and improved property, including threats to critical facilities, infrastructure, and critical watershed areas; and
- Availability of federal, state and local firefighting resources; and
- Potential major economic impact.

Included in this section are the glossary of terms and instructions for use. After the level of severity is determined, the resource order sheet makes recommendations on equipment, crews, and personnel to augment for the event.

PREPAREDNESS GUIDELINE

GLOSSARY OF TERMS

Fire Weather Geographic Area

The number of affected counties associated with the potential event.

Lightning Activity Level

A numerical rating from the lowest value of 1 to the highest of 6, keyed to the start of thunderstorms and the frequency and character of cloud-to-ground lightning forecasted or observed on a rating area during a rating period, a term of the National Fire Danger Rating System (NFDRS). The scale is exponential based on powers of 2 (i.e., LAL 3 indicates twice the lightning of LAL 2).

LAL's of 1 are not associated with lightning, and 4 or 5 receive no score due to wetting rains.

Sustained Wind Speed (Specific Geographic Influence)

Predictive Services forecast for sustained winds (e.g. Santa Ana, Sundowner & Northerly winds). Below 15 mph receives no score.

Temperature

Predictive Services forecast for temperature. Temperature below 75°F receives no score.

Relative Humidity

Predictive Services forecast for relative humidity. Relative humidity above 29% receives no score.

Live Fuel Moisture (Updated June 4, 2024)

National Fire Danger Rating System (NFDRS) forecast for live fuel moisture. Live fuel moisture above 100% receives no score.

Duration of Event

Predictive Services forecast for duration of a potential event.

Forecaster Confidence for Severe Fire Weather

Predictive Services forecast confidence level associated with the potential event (probable or significant). If no severe fire weather is predicted, it receives no score.

CWCG Preparedness Level

Use the preparedness level provided by the Geographic Area Coordination Center (GACC).

MACS Mode

Use the MACS Mode level provided by the GACC.

“MODES OF OPERATION” AND CWCG “PREPAREDNESS LEVELS”

California is currently using both FIREScope MACS Modes and the CWCG Preparedness Levels. Both systems have their place in establishing levels of operational readiness depending on the magnitude of the emergency. Both CWCG Preparedness Levels and FIREScope MACS Modes were designed in response to managing resource commitment during periods of high demand due to multiple emergencies. Although either system could be used alone, both systems are used collaboratively as each have their advantages when considering the variety and complexity of emergencies that tend to occur in California. More detailed information and comparisons of each system are provided below. (See page 5 for preparedness levels)

PREPAREDNESS GUIDELINE

FIRESCOPE MACS “MODES OF OPERATION”

FIRESCOPE MACS Modes are more operationally focused and tend to consider other all hazard incidents that may impact the availability of emergency response resources. There are four operating MACS modes. The four MACS modes of operations are reflective of overall regional emergency activities, specific incident activity, resource commitment, and predicted weather patterns that may result in continued or increased resource commitments. (See page 5 for Modes of Operation)

CALIFORNIA WILDFIRE COORDINATING GROUP “PREPAREDNESS LEVELS”

National Preparedness Levels were established by the National Wildland Fire Coordinating Group. The California Wildfire Coordinating Group, (CWCG) has accepted the National Preparedness Levels (with minor modifications) for use in California. The CWCG Preparedness Levels are described in more detail in the California Mobilization Guide: <https://gacc.nifc.gov/oncc/camobguide.php>. CWCG Preparedness Levels are similar to the FIRESCOPE MACS Modes in that they are based on a combination of incident activity, resource commitment, and predicted weather. However, the Preparedness Levels differ from the FIRESCOPE MACS Modes because they take into consideration the full range of wildland fire activities, such as prescribed fire. This ensures that fire protection responsibility and prescribed fire does not exceed the state’s wildland fire response capabilities and are coordinated with the state and national wildland fire activities. Preparedness Levels are determined by situational criteria that determine specific actions and the responsible party. The Preparedness Levels can restrict prescribed fire and/or fire use in order to ensure that adequate resources are available for emergency response. There are five distinct Preparedness Levels. Each level is described below beginning with Preparedness Level 1, comparable to FIRESCOPE MACS Mode 1 and ending with Preparedness Level 5 that is comparable to FIRESCOPE MACS Mode 4.

PREPAREDNESS LEVEL (PL): Actions and Responsibilities

PL 1 thru PL 3:

MAC Area preparedness levels will be monitored and managed by the Cal FIRE California Northern Region (CNR) and federal agencies’ Operations Northern California (ONC) in Redding, hereafter referenced as North Ops, and the Cal FIRE Southern Region (CSR) and federal agencies’ Operations Southern California (OSC) in Riverside, hereafter referenced as South Ops, for Preparedness levels 1, 2, and 3. The determination of these levels will represent a consensus of the Interagency Coordinators from the Forest Service, Department of Interior, Governor’s Office of Emergency Services Fire and Rescue Division, and California Department of Forestry and Fire Protection; CWCG will be kept apprised of changes in levels.

PREPAREDNESS GUIDELINE

PL 4 thru PL 5:

The GACC will contact the Chair of CWCG to recommend moving above Preparedness Level 3. The Chair of CWCG will contact the members or representatives to develop consensus on the recommendation, and report the result to the GACC. CWCG does not need to convene for moving from Preparedness Level 4 to Preparedness Level 3.

Preparedness Levels 4 and 5 will be declared by a consensus of the members of the CWCG/CalMAC. The Chair of CWCG will contact the CalMAC member representatives to develop consensus on the recommendation and report the result to the North Ops and South Ops. CalMAC may be activated, by consensus of the CWCG membership. The decision to conduct CalMAC activities via conference call or face-to-face at a single location will be made with the consensus of the CWCG membership.

PL 5: CalMAC is fully activated.

Under PL 5, CalMAC operations will be established either at an agreed upon location, or via conference calls determined by concurrence of the CalMAC members. When CalMAC is activated, it will coordinate efforts with NMAC, North and South MAC Groups, and as needed with the State Operations Center (SOC).

Upon activation CalMAC will:

1. Consider prepositioning resources within the state.
2. Provide the National Interagency Coordination Center with incident priorities and other pertinent information.
3. Alert Units and Forests through normal channels of the possibility of going to Preparedness Level 5.
4. Conference calls are established to provide statewide coordination of resources and to consider recommendations of the North and South MAC Groups as well as the SOC. Conference calls will be scheduled to complement activities of North and South MAC Groups (see Conference Call Format).

PREPAREDNESS GUIDELINE

MACS MODES of OPERATIONS

Mode 1

Reflects a non-critical statewide situation. In general, there are no major or multiple incidents that would require extended use of Multi-Agency resources. This mode reflects a typical non-fire season operation for wildland fire agencies.

Mode 2

Reflects normal fire season operations. While isolated major incidents may occur, there is no significant impact on regional or statewide resources.

Mode 3

Reflects a serious situation or the potential for a serious situation. A serious situation could be a high potential incident that involves the use of resources from multiple agencies. Generally, a Mode 3 would exist when one to three such incidents were occurring simultaneously, or when the potential for a regional or statewide emergency situation exists. Severe winter weather conditions, a forecast for Santa Ana winds, or a tsunami warning could be sufficient to initiate a Mode 3. The major commitment of fire suppression resources in region to an out- of-region incident would warrant a Mode 3.

Mode 4

Signifies the existence of a total regional or statewide area effort where resource use priorities require a concerted multi- agency coordination effort. A statewide MAC operation may be established in Sacramento, while the Regional MAC Operations would be activated at South Ops and/ or North Ops. Agency representatives, by either conference call or in person at the coordination center, should be authorized to speak and commit resources for their agency.

Ref: MACS 410-1 (July 11, 2018)



CWCG PREPAREDNESS LEVEL

Level 1

Few or no class A, B, and C wildland fires. Minimal or no commitment of interagency resources to suppression activities. Current and short-range predictions for low to moderate fire danger. Local units implementing prescribed fire operations with sufficient contingency resources available. Agencies above drawdown levels and requests for personnel and resources outside of the local area are not occurring.

Level 2

Numerous class A, B, and C wildland fires. Local commitment of interagency resources for initial attack, fuels projects and wildland fire use for resource benefit. Current and short-term weather predictions for moderate fire danger. Local units implementing prescribed fire operations with sufficient contingency resources available. Agencies above drawdown levels and requests for personnel and resources outside of the local area are of minimal to low impact.

Level 3

High potential for Class D and larger fires to occur with several active Class A, B, and C fires. Mobilization of agency and interagency resources within the Geographic Area/Region, but minimal mobilization between or outside of Geographic Area/Regions. Current and short-term forecasted fire danger is moving from medium to high or very high. Local units implementing prescribed fire operations starting to compete for interagency contingency resources. Agencies still above drawdown levels for suppression resource, but starting to have difficulty maintaining sufficient resources to meet initial attack responsibilities, project fire support, and fuel projects/prescribed fire requirements without prioritizing or using non-local support. Some critical resource needs are starting to be identified.

Level 4

Continuing initial attack activity and Class D or larger fires are common in one or both Geographic Area/Regions. Resource ordering and mobilization of personnel is occurring between Geographic/Regions. Current and short-term weather forecasts are for high to very high fire danger. The long-range forecast for the next week indicates continued high fire danger. Local units may implement new fuel/wildland fire use/ prescribed fire projects, but operational and contingency resources must be provided by the agency or by local arrangements. Actual and long-range fire weather forecasts predict high to very high fire danger. Significant potential exists for moving into extreme fire danger for most of the Geographic Area/Region. Personnel and resources at minimum drawdown levels, especially for initial attack. Fuels projects and prescribed fires can only be implemented with agency contingency resources or special arrangements within the local units. Mobilization and resource orders are occurring for suppression assignments within the Geographic Area/Region and between Geographic Areas/Regions.

Level 5

CalMAC is fully activated. Agencies are below drawdown levels. Class D and larger fires are common in the North and/or South GACC/Region. North and/or South GACC/Region cannot fill many outstanding resource requests and are sending these orders to NICC. Use of local government resources is common. Reassignment of personnel and resources between incidents is common. Current and short-range weather forecasts predict very high to extreme fire danger. Long-range forecasts for the following week for North and/or South GACC/Region indicate continued very high to extreme fire danger. Activation of National Guard or military personnel and resources is being considered or has been done. Orders for California resources are causing the state to drop below agency drawdown levels. State and Local government personnel are being used to fill in-state and out-of-state resource orders. Actual and long-range fire danger predictions are for very high or extreme. Personnel and resources are at or below agency minimum.

PREPAREDNESS GUIDELINE

Draw Down Level

Use the draw down consideration for fire agencies: [ICS 410-5 http://www.firescope.org/docs-operations/ics%20410-5.pdf](http://www.firescope.org/docs-operations/ics%20410-5.pdf)

(MACS 405 form): <https://www.firescope.org/acs-docs/-405.pdf>

7 Day Significant Fire Potential (Regional/Geographic or Operational Area Impact)

Forecasted events for wildland incidents are determined by the “7 DAY SIGNIFICANT FIRE POTENTIAL” report produced daily by the Predictive Services office.

EXPLANATION OF THE 7 DAY SIGNIFICANT FIRE POTENTIAL PRODUCT

For those of you who monitor this product, it is important to ensure that it is being interpreted correctly.

To begin with, it is very important that the user understand that although weather is a major contributor to large fire potential, this product is NOT a weather forecast. It is a large fire potential forecast.

The purpose of the product is to estimate the daily large fire risk for the next 7 days by assessing the following:

1. Daily probability for occurrence of a new large fire and/or,
2. Daily potential for significant new growth on an existing large fire

The product is based on a statistical mode which uses fuel moisture inputs from the NFDRS (WIMS) and various gridded weather inputs from weather models. This data is processed through a series of equations that yield forecasts of Fuel Dryness Level (DL) as well as probabilities (some objective and some subjective) of certain critical weather conditions for each of the next 7 days. When appropriate, combinations of DL and weather triggers are expected, a “**High Risk Day**” is designated on the chart to warn of a significantly higher than normal chance for a “Large Fire”.

A “Large” fire has been defined for each Predictive Service Area in California, and is based on a statistical analysis and can be located at:

Southern California Geographic Coordination Center: <https://gacc.nifc.gov/oscc/predictive/weather/>
Northern California Geographic Coordination Center: <https://gacc.nifc.gov/oncc/predictive/weather/>

PREPAREDNESS GUIDELINE

Information is portrayed on the chart by a color code and, when appropriate, a symbol as follows:

Fuel Dryness (DL) is represented on the chart for each day and for each Predictive Service Area as one of three colors. DL is determined by combinations of ERC and F100.

1. Green – Indicates a DL, which historically has not resulted in any realistic chance of large fires.
2. Yellow – Indicates a rather “normal” summertime dryness that typically will not result in large fires unless accompanied by a critical trigger event (often weather related).
3. Brown – Indicates very dry fuel levels which result in a much higher than normal chance of large fires when accompanied by a critical trigger event. A low to moderate threat for large fires exists in the absence of a trigger.

“High Risk Days” are special days when conditions (i.e. dry fuels in conjunction with a critical trigger event) exist that historically have yielded a significant chance for a large fire. They will be designated on the chart in RED or ORANGE with a symbol designating the trigger as follows:

1. Red/Orange and a lightning bolt – An expected combination of dry fuels and a lightning trigger. It must be remembered that this designation will only show on the chart when an appropriate amount of lightning and an appropriate DL is expected. This is NOT simply a lightning forecast.
2. Red/Orange and a High Risk Days (HD) – An expected critical combination of dry fuels and an unseasonably hot and dry air mass. While this condition does not start fires, it often produces a favorable environment for new starts to become large. Thus this trigger can result in significant growth on existing fires but for most areas, it correlates poorly with new large fires.
3. Red/Orange and a Wind (W) – Represents dry and windy. Again as stated in number 2 above, wind does not necessarily start fires (although in some extreme cases it could), it rather produces a favorable environment for new start to become large.

PREPAREDNESS GUIDELINE

INSTRUCTIONS FOR USAGE OF WILDLAND FIRE MOBILIZATION SCORE SHEET AND WILDLAND FIRE RESOURCE REQUEST ORDER SHEET

1. Within each row, check the radio button in the box that best describes the forecasted condition. If there is no value for a row, it would be left blank. (See Predictive Services on Page 10 for links to meteorological info)
2. Total the number of check marks per column and enter their sub-total in the box provided.
3. Multiply the column sub-totals by the severity factor and enter this adjusted sub-total in the same colored box provided in the next row.
4. Enter the adjusted sub-totals into the formula provided at the bottom of the sheet.
5. Add the three adjusted sub-totals and divide by 12 to complete the mobilization score.
6. Utilize the final score from the mobilization score sheet to refer to the resource order sheet for the numbers recommended for augmentation.
7. If the score sheet recommends a **MODERATE EVENT**, both the Cal OES Director and Cal OES State Fire and Rescue Chief will review and provide approval in addition to the Cal OES Operations Deputy Chief.

**The Wildland Fire Mobilization Score sheet and Wildland Fire Resource Request Order sheet forms are electronically fillable. These documents are located at <http://www.firescope.caloes.ca.gov>.*



PREPAREDNESS GUIDELINE

WILDLAND FIRE MOBILIZATION SCORE SHEET

	Moderate Event		Severe Event		Extreme Event	
Fire Weather Geographic Area	1 Op Area		2-4 Op Areas		5 or more Op Areas	
Probability of Thunder/Lightning	Isolated (15-24%) to scattered/chance (25-54%)		55% or Greater (NO SCORE)		Dry Lightning	
Sustained Wind Speeds (Specific Geographic Influence)	15 - 25 MPH		26 - 35 MPH		36 MPH or >	
Temperature	75 - 85 °F		86 - 95 °F		>than 96 °F	
Relative Humidity	20% - 29%		10% - 19%		Below 10%	
Live Woody Fuel Moisture	80% - 100%		60% - 79%		Below 60%	
Duration of Event	Up to 2 days		2 – 3 days		3 or more days	
Forecaster Confidence for Severe Fire Weather (Probable or Significant)	LOW		MODERATE		HIGH	
CWCG Preparedness Level	Level 2		Level 3		Level 3+	
MACS Mode	Mode 2		Mode 3		Mode 3+	
Operational Area Draw Down	Level 1		Level 2		Level 3	
7 Day Significant Fire Potential (Regional/Geographic or Operational Area Impact)	No Red/Orange		One Red/Orange		More than one Red/Orange	
Column Sub Total	# of ✓		# of ✓		# of ✓	
Severity Factor	x 1 =		x 2 =		x 3 =	
Mobilization Score			+		+	
						= /12 =

Region _____ Operational Area _____

OA Fire & Rescue Coordinator (OA Coordinator) Name _____ Date _____ Time _____

PREPAREDNESS GUIDELINE

PREDICTIVE SERVICES

ON-LINE METEOROLOGICAL LINKS/RESOURCES

Fire Weather Geographic Area/Lightning Activity Level/Sustained Wind Speeds/Temperature/Relative Humidity/Duration of Event (Updated June 12, 2025).

Los Angeles: <https://forecast.weather.gov/product.php?site=NWS&product=FWF&issuedby=LOX>

San Diego: <https://forecast.weather.gov/product.php?site=NWS&product=FWF&issuedby=SGX>

Phoenix: <https://forecast.weather.gov/product.php?site=NWS&product=FWF&issuedby=PSR>

Las Vegas: <https://forecast.weather.gov/product.php?site=NWS&product=FWF&issuedby=VEF>

Reno: <https://forecast.weather.gov/product.php?site=NWS&product=FWF&issuedby=REV>

Hanford: <https://forecast.weather.gov/product.php?site=NWS&product=FWF&issuedby=HNX>

Monterey: <https://forecast.weather.gov/product.php?site=NWS&product=FWF&issuedby=MTR>

Sacramento: <https://forecast.weather.gov/product.php?site=NWS&product=FWF&issuedby=STO>

Eureka: <https://forecast.weather.gov/product.php?site=NWS&product=FWF&issuedby=EKA>

Medford: <https://forecast.weather.gov/product.php?site=NWS&product=FWF&issuedby=MFR>

Chance of Thunder or Lightning (%) Line in FWF (Fire Weather Forecast)	Equivalent Description Used in Sky/Weather Line or Summary of FWF	Former LAL Level	Event Score
0 - 14 percent	None / Few	LAL 1	NO SCORE
15 - 24 percent	Slight chance / Isolated to Widely Scattered	LAL 2	MODERATE
25 - 54 percent	Chance / Scattered	LAL 3	MODERATE
55 percent or greater *	Likely / Numerous	LAL 4	NO SCORE
75 - 100 percent *	Widespread Thunderstorms	LAL 5	NO SCORE
Dry Lightning	Fire Weather Watch, Red Flag Warning, or High Likelihood of Dry Lightning (Thunderstorms without wetting rainfall)	LAL 6	EXTREME

** Note: Former LAL categories of 4 and 5 continue to receive no score due to the assumption of wetting rain.*

Current and Past 24-Hr Weather Observations

<https://mesowest.utah.edu/cgi-bin/droman/mesomap.cgi?state=CA&rawsflag=3>

Click on the dropdown menu next to the word “Network” on the left side of the screen. Select “NWS and RAWS”. Click on the dropdown menu next to “Overlay1”, select “Current Wind Speed” and click refresh.

Click on the dropdown menu next to the word “Network” on the left side of the screen. Select “NWS and RAWS”. Click on the dropdown menu next to “Overlay1”, select “Current Temp” and click refresh.

Click on the dropdown menu next to the word “Network” on the left side of the screen. Select “NWS and RAWS”. Click on the dropdown menu next to “Overlay1”, select “Current RH” and click refresh.

Live fuel Moisture (Updated June 4, 2024)

The National Fuel Moisture Database (NFMD) was shut down on March 8, 2024. It is being replaced by the [Fire Environment Mapping System](https://fems.fs2c.usda.gov/ui) (FEMS)/ Field Sample Database (FSD) at: <https://fems.fs2c.usda.gov/ui>. Until FSD data or local live fuel moisture sample percentages are available, please utilize the [WFTIIC NFDRS Live Wood Fuel Moisture \(WFM\) Viewer](https://www.arcgis.com/apps/dashboards/3c2f7c0f2dfd4d208f1239d3c50812ae) <https://www.arcgis.com/apps/dashboards/3c2f7c0f2dfd4d208f1239d3c50812ae>.

CWCG Preparedness Level/MACS Mode/7 Day Significant Fire Potential

South: https://gacc.nifc.gov/oscc/predictive/outlooks/Scal_Fire_Potential.pdf

North: <https://gacc.nifc.gov/oncc/predictive/weather/7Day.pdf>

Predictive Service Area/OP Area State Map

https://gacc.nifc.gov/oscc/predictive/weather/CA_Counties_PSA.jpg



PREPAREDNESS GUIDELINE

WILDLAND FIRE RESOURCE REQUEST ORDERSHEET

If the OA is unable to fill the preposition incident order and request within the OA, the OA dispatch center will generate and place the request to the Cal OES Fire and Rescue Mutual Aid Region dispatch center to be filled at the region level.

Equipment/Crews/ Overhead/Aircraft		Moderate Event 1.6 – 1.9		Severe Event 1.9 – 2.2		Extreme Event 2.2 – 3.0
Engines		<ul style="list-style-type: none"> One (1) OES or Local Government Engine Strike Team of any type OR One (1) Task Force 		<ul style="list-style-type: none"> Up to two (2) OES or Local Government Engine Strike Teams OR Task Forces OR combination thereof 		<ul style="list-style-type: none"> Up to three (3) OES or Local Government Engine Strike Teams OR Task Forces OR combination thereof
Dozers		<ul style="list-style-type: none"> N/A 		<ul style="list-style-type: none"> One (1) Local Government Dozer Strike Team 		<ul style="list-style-type: none"> One (1) Local Government Dozer Strike Team
Water Tenders		<ul style="list-style-type: none"> Up to (1) OES or Local Government 		<ul style="list-style-type: none"> Up to two (2) OES or Local Government Water Tenders 		<ul style="list-style-type: none"> Up to two (2) OES or Local Government Water Tenders
Aircraft		<ul style="list-style-type: none"> One (1) Local Government Copter 		<ul style="list-style-type: none"> Two (2) Local Government Copters 		<ul style="list-style-type: none"> Three (3) Local Government Copters
Hand Crews		<ul style="list-style-type: none"> One (1) Local Government Hand Crew 		<ul style="list-style-type: none"> Two (2) Local Government Hand Crews 		<ul style="list-style-type: none"> Three (3) Local Government Hand Crews
Overhead, LOGS, Intel, Support Staff*		<ul style="list-style-type: none"> One (1) Local Government Dispatcher 		<ul style="list-style-type: none"> Two (2) Local Government Dispatchers One (1) Local Government Type 3 Incident Management Team (Command & General Staff) (up to 14 personnel) 		<ul style="list-style-type: none"> Up to four (4) Local Government Dispatchers One (1) Local Government Type 3 Incident Management Team (Command & General Staff) (up to 14 personnel)

Region _____ Operational Area _____

Operational Area Coordinator Name _____ Date _____ Time _____



PREPAREDNESS GUIDELINE

MUD AND DEBRIS FLOW

LEVEL I – MODERATE EVENT	RESOURCES
<ul style="list-style-type: none"> Intensity <ul style="list-style-type: none"> <0.1 inches in 15 minutes <0.2 inches in 15 minutes <0.3 inches in 60 minutes Criteria: <ul style="list-style-type: none"> The potential of mud and debris flow is low; however, small isolated mud and debris mudflows possible at specific public infrastructure locations. Streets may be flooded or blocked by debris. Few structures may be anticipated to be endangered. 	<ul style="list-style-type: none"> Equipment <ul style="list-style-type: none"> Staff up to three (3) OES or Local Government any type Single Engine resources One (1) Dozer
LEVEL II – SEVERE EVENT	RESOURCES
<ul style="list-style-type: none"> Intensity <ul style="list-style-type: none"> 0.1 inches in 15 minutes 0.2 inches in 15 minutes 0.3 inches in 60 minutes Criteria: <ul style="list-style-type: none"> Moderate debris and mudflows possible at more widespread locations Some streets may be completely blocked by debris Depending on location and terrain some structures may be endangered 	<ul style="list-style-type: none"> Equipment <ul style="list-style-type: none"> Up to two (2) OES or Local Government Engine Strike Teams any type Up to one (1) Dozer Strike Team One (1) OES or Local Government Water Tender One (1) Copter Overhead <ul style="list-style-type: none"> IMT Command & General Staff (up to 14 personnel)
LEVEL III – EXTREME EVENT	RESOURCES
<ul style="list-style-type: none"> Intensity <ul style="list-style-type: none"> 0.2 inches in 15 minutes 0.3 inches in 15 minutes 0.5 inches in 60 minutes Criteria: <ul style="list-style-type: none"> The potential exits for significant mud and debris flow to be widespread over specific areas. Streets may be blocked and unsafe for travel. Existing channels will be overwhelmed. Many structures would be endangered by mud and debris flow. 	<ul style="list-style-type: none"> Equipment <ul style="list-style-type: none"> Up to three (3) OES or Local Government Engine Strike Teams any type Up to two (2) Dozer Strike Teams Up to four (4) OES or Local Government Water Tenders Up to two (2) Copters Overhead <ul style="list-style-type: none"> IMT Command & General Staff (up to 14 personnel)



PREPAREDNESS GUIDELINE

MUD AND DEBRIS FLOW RESOURCE REQUEST ORDER SHEET

If the OA is unable to fill the preposition incident order and request within the OA, the OA dispatch center will generate and place the request to the Cal OES Fire and Rescue Mutual Aid Region dispatch center to be filled at the region level.

Equipment/ Overhead/Aircraft	<input type="checkbox"/>	Level I - Moderate Event	<input type="checkbox"/>	Level II - Severe Event	<input type="checkbox"/>	Level III - Extreme Event
Engines	<input type="checkbox"/>	<ul style="list-style-type: none"> Three (3) OES or Local Government Engines 	<input type="checkbox"/>	<ul style="list-style-type: none"> Up to two (2) OES or Local Government Engine Strike Teams, OR Task Forces OR combination thereof 	<input type="checkbox"/>	<ul style="list-style-type: none"> Up to three (3) OES or Local Government Engine Strike Teams, OR Task Forces OR combination thereof
Dozers	<input type="checkbox"/>	<ul style="list-style-type: none"> One (1) Local Government Dozer 	<input type="checkbox"/>	<ul style="list-style-type: none"> One (1) Local Government Dozer Strike Team 	<input type="checkbox"/>	<ul style="list-style-type: none"> Two (2) Local Government Dozer Strike Teams
Water Tenders	<input type="checkbox"/>	<ul style="list-style-type: none"> N/A 	<input type="checkbox"/>	<ul style="list-style-type: none"> Up to one (1) OES or Local Government Water Tenders 	<input type="checkbox"/>	<ul style="list-style-type: none"> Up to four (4) OES or Local Government Water Tenders
Aircraft	<input type="checkbox"/>	<ul style="list-style-type: none"> N/A 	<input type="checkbox"/>	<ul style="list-style-type: none"> One (1) Local Government Copter 	<input type="checkbox"/>	<ul style="list-style-type: none"> Two (2) Local Government Copters
Overhead, LOGS, Intel, Support Staff*	<input type="checkbox"/>	<ul style="list-style-type: none"> N/A 	<input type="checkbox"/>	<ul style="list-style-type: none"> One (1) Local Government Type 3 Incident Management Team (Command & General Staff) (up to 14 personnel) 	<input type="checkbox"/>	<ul style="list-style-type: none"> One (1) Local Government Type 3 Incident Management Team (Command & General Staff) (up to 14 personnel)

Region _____ Operational Area _____

Operational Area Coordinator Name _____ Date _____ Time _____



PREPAREDNESS GUIDELINE

PREPOSITION/MOBILIZATION (RESOURCE APPROVAL FORM)

IN _____ COUNTY REG. _____ INCIDENT NAME OES Preposition/Mobilization

This is to inform you of a buildup of emergency service resources in your area due to a possible emergency event.

It is sent to you by the State Fire and Rescue Coordinator from Cal OES Headquarters in Mather, California.

This information is intended to assist you with planning & prepositioning for the possibility of an impending emergency.

TYPE OF EVENT Preparedness/Mobilization OES CONTROL NUMBER CA-OES-

REASON FOR EVENT _____

INITIATION DATE _____ TIME _____ EVENT LEVEL _____

Local Government Incident Management Team(s) _____

Cal OES Fire Duty Chief

Name _____ Phone Number _____ (916) 845-8670

Resources

Engine(s):

Number of Local Government Engine(s) Type 1 _____ Type 2 _____ Type 3 _____ Type 6 _____

Number of Cal OES Engine(s) Type 1 _____ Type 3 _____ Type 6 _____

Dozer(s):

Number of Local Government Dozer(s) Type 1 _____ Type 2 _____

Water Tender(s):

Number of Local Government Water Tender(s) Type 1 _____ Type 2 _____

Number of Cal OES Water Tender(s) Type 1 _____

Aircraft:

Number of Helicopter(s) _____

Sent by _____ Contact Number _____

Date _____ Time _____

Hand Crew(s):

Number of Local Government Hand Crew(s) Type 1 _____ Type 2IA _____ Type 2 _____

Overhead:

Number of Personnel Dispatchers _____ Incident Management Team _____

of RTF _____ RTF # _____ Location of Resource(s) _____

of SF-S&R _____ SF-S&R # _____ Location of Resource(s) _____

Need Date _____ Need Time _____ End Date _____ End Time _____

Extension(s) Number _____ Date _____ Time _____ Approved By _____

Logistical Support

Approved	Denied	N/A	Fuel _____
Approved	Denied	N/A	Food _____
Approved	Denied	N/A	Lodging _____
Approved	Denied	N/A	Misc. _____

Cal OES Fire Chief _____ Date _____

Moderate

Approved

Denied (Correspondence to follow on specifics for denial)

Cal OES Deputy Fire Chief _____ Date _____

Severe

Extreme

Approved

Denied (Correspondence to follow on specifics for denial)

PREPAREDNESS GUIDELINE

RESOURCE COMMUNICATIONS

A telephone number is established at the OES Headquarters to provide a travel and status-reporting line for all resources in travel status. This number is **not** for general information such as weather updates and fire information.

The California State Warning Center: **(800) 421-2921** or
Cal OES Fire and Rescue Duty Chief: **(916) 845-8670**

Unless otherwise directed, it is expected that resources will check in with the Cal OES Fire and Rescue Duty Chief whenever expected travel time will be adversely impacted. Impacts include extended rest stops, mechanical breakdowns, feeding or other activities that will significantly impact identified travel times more than **2** hours.

When making contact with the California State Warning Center number, be prepared with your identifier, location, and current assignment. Also be equipped to write down any new assignment information. Calls must be concise and brief to be effective.

Strike Teams still should monitor CESERS (153.7550) and/or other identified frequencies.

PREPAREDNESS GUIDELINE

REASSIGNMENT OF OES AND LOCAL GOVERNMENT RESOURCES

If reassignments of these resources are necessary, there must be positive coordination with the OES AREP on scene of the incident or the Cal OES Fire and Rescue Duty Chief to secure expressed permission to reassign an OES or Local Government resource to another incident. Resources cannot be reassigned without this expressed permission.

EMERGENCY DEMOBILIZATION

For emergency release of a resource, an ICS-213 form will be completed by the host ECC and submitted to the California Fire and Rescue Mutual Aid Region.

DEMOBILIZATION PLANNING


Demobilization planning should begin with the mobilization build-up. Notify the California Fire and Rescue Mutual Aid Region prior to releasing resources. Approval for releases will be obtained from each level involved in processing the original request. This allows the agencies the opportunity to reassign resources efficiently.

Demobilization Considerations

- ☐ Release Timing: The Plans Section Chief will alert the incident host with adequate lead time to allow planning to be accomplished.
- ☐ Payments: Each agency will follow their incident business plan for incident payment processes.
- ☐ Transportation: Costs should be considered in determining release priority. Sufficient lead time is imperative in arranging for transportation to be at the departure point when crews or personnel are ready to depart. Late night releases or travel are to be avoided. Every effort will be made for released resources to be home or rest overnight (RON) by 2200, local time.
- ☐ Communications: Adequate communication between key personnel (i.e. Plans Section Chief, Demob Unit Leader, Logistics Chief, Ground Support Unit Leader, Finance Team, Agency Representative if applicable, OESH and home agency.) must be established and maintained. It is important that the ECC receive notice of ETA of returning personnel in sufficient time to arrange for their travel.

Note: Refer to the California Interagency Mobilization Guide: <https://gacc.nifc.gov/oncc/camobguide.php>

Pre-incident Preparedness Guideline Resource Request Process Flowchart



PREPAREDNESS GUIDELINE

PRE-INCIDENT PREPAREDNESS GUIDELINE RESOURCE REQUEST PROCESS

Local government fire agency preposition resources will not depend on CAL FIRE or federal fire agencies for approval of their mobilization score sheet and resource order sheet. The Cal OES Director and the Cal OES State Fire and Rescue Chief will be the approving authority. The initial process will involve the Cal OES Fire Duty Chief and the Cal OES Operations Deputy Chief. It is understood that collaboration and coordination amongst the California fire service shall occur.

The Steps in the Resource Request Process:

1. Request to preposition resources will begin at the local level within the OA. Local Fire Chief and/or OA Coordinator **evaluate** and determine there is a need to preposition resources. (**OES equipment preferred if available**)
2. Cal OES **approves** request for a 12 hour period (occurs at OESH level), or as conditions warrant, there may be a need to approve a 24 hour period.
3. OA Coordinator will provide the OA dispatch center, and Cal OES Fire and Rescue Regional Coordinator a copy of the Cal OES Preparedness/Mobilization Resource Approval Form.
4. Create and fill request(s) as directed by the OA Coordinator using Preparedness/Preposition as the “type” of incident.
5. The Cal OES control number will be documented in the office reference number within the OA resource order and request.
6. The incident order number created by the OA, will mirror the Cal OES control number using the OA MACS-ID instead of “OES”.
7. If unable to fill within the OA, place the request(s) to the respective Cal OES Fire and Rescue Mutual Aid Region.
8. Resources are **ordered** and **mobilized**.
9. At the end of the approval period, the need is **re-evaluated**.
10. Once the preposition resources are no longer needed, **demobilization** will occur. The OA Dispatch Center will release resource(s).

The dispatch process will follow CA ROSS Business Practices unless directed otherwise by the CA Fire Service Leadership and Cal OES.

Assigned resources remain in the control of the requesting OA. If the OA receives an order and request from another OA or Region, the OA Coordinator has the authority to move the resources following the California State Mutual Aid Plan and normal day-to-day ordering processes. If the prepositioned threat still exists, backfill of the prepositioned re-assigned resources may be considered.

PREPAREDNESS GUIDELINE

Preposition funding will be approved for resources re-dispatched to and from a preposition/mobilization incident(s) with the exception of state and federal responsibility incident(s) that are within/or outside the OA and within the approved preposition period. If responses involve re-dispatch orders and requests to a state or federal responsibility incident(s) through the California Fire Assistance Agreement (CFAA), reimbursement is at 100%, and preposition funding source will end. If the resources are assigned outside the approved period and there is no extension, these resources will be considered Master Mutual Aid (MMA) unless other funding sources support the request, e.g., Fire Management Assistance Grant (FMAG), California Disaster Assistance Act (CDAA), and Presidential Declaration etc., generally approved for 75% reimbursement.

Prepositioned resources will not be re-dispatched for orders and requests involving:

- Assistance by Hire (ABH)
- Local Forest Agreements (LFA).

** With the exception of engines, water tenders and overhead, other resources such as dozers and hand crews may qualify for a re-dispatch using ABH or LFA. These circumstances will need to be discussed prior to a re-dispatch with your OA Coordinator and the Cal OES Fire Duty Chief.*

The process for prepositioning resources will require continuous improvement, and we have committed to allow for flexibility according to the needs of the California Fire and Rescue Mutual Aid System and through lessons learned.