


California Wildfire Home Hardening Program: Recommended Defensible Space and Home Hardening Property Report

This report contains information collected during a home assessment for the California Wildfire Home Hardening Program. The report contains information about the property, recommended defensible space and home hardening measures based on findings during the assessment, and the raw data obtained during the home assessment.

Basic Property Information	
Property Application Unique ID #	CWMPA-000[REDACTED]
Address	[REDACTED]
County	Lake
What type of structure is the home?	Single Family Residence Single Story
Year built	1993
Foundation Type	Slab on Grade
Original Assessment Date:	April 8, 2025 6:10 PM
Last Edited Date:	April 8, 2025 11:17 PM
Longitude	[REDACTED]
Latitude	[REDACTED]
 <p>Maxar Esri Community Maps Contributors, Lake C... Powered by Esri</p>	

Contents

Defensible Space Actions	3
Home Hardening Actions	4
Primary Residence	4
Primary Residence – Exposure Sides A-D	5
Auxiliary Building(s) – Exposure Sides A-D	9
Auxiliary Structure(s) – Exposure Side A-D	13
Full Survey Results	17
Defensible Space Questions	17
Zone 0 Questions (Note: Survey collected prior to 06/2023 may have incomplete data for Zone 0.)	17
Zone 1 Questions	19
Zone 2 Questions	21
Other Questions	23
Home Hardening Questions - Primary Residence and Attachments	25
Roof Questions	25
Wall Questions	25
Vent Questions	27
Window Questions	27
Door Questions	28
Attachment Questions	29
Crawl or Open Space Under Residence Questions	29

Surrounding Parcel Hazards – Detached – Hazard Mitigation Questions – Side A-D.....31

EHP Photos.....43

Defensible Space Actions

Question	Response	Suggestion	Category
Is there any live, dead, or dying vegetation present? (e.g., herbaceous ground cover, plants, grass lawns, shrubs, bushes).	Yes	Remove all living, dead, or dying herbaceous ground cover, plants, grass lawns, shrubs, or bushes within the first five feet of the residence. (DZ0-VRT) Zone 0 Vegetation Modification	Zone 0
Does the residence need hardscaping, including around attachments such as decks?	Yes	Install hardscaping which extends five feet from each side of the residence and if applicable attached decks. (DZ0-HAR) Zone 0 Hardscaping	Zone 0
Do trees, shrubs or ground cover lack minimal vertical or horizontal spacing within 30 feet or local ordinance distance of all structures.	Yes	Create appropriate separation of the distance provided by state or local ordinance between shrubs and live flammable ground cover and all structures. If this includes the removal of conifer trees, ensure the procedures for obtaining a timber harvest exemption are followed (if applicable). (DZ1-VRT) Zone 1 Vegetation Modification or (DZ1-TFT) Zone 1 Tree Felling	Zone 1
Are there logs or stumps?	Yes	Remove logs or stumps located within Zone 1. (DZ1-STM) Zone 1 Stump Mitigation or (DZ1-LGM) Zone 1 Log Mitigation	Zone 1

Is there vertical spacing less than (3x height of shrub) between shrubs and trees?	Yes	Create extra vertical spacing (3x height of shrub) between shrubs and trees. (DZ2-VRT) Zone 2 Vegetation Modification or (DZ2-TLT) Zone 2 Tree Limbing	Zone 2
Is the horizontal spacing between the trees and shrubs on the property closer than the distance provided by state or local ordinance?	Yes	Create effective horizontal spacing for any trees and shrubs within 100 feet of the residence. If this includes the removal of conifer trees, ensure the procedures for obtaining a timber harvest exemption are followed (if applicable). (DZ2-VRT) Zone 2 Vegetation Modification or (DZ2-TFT) Zone 2 Tree Felling	Zone 2
Does the address sign need to be retrofitted with contrasting reflective colors (4" min. size)?	Yes	Replace the address sign with numbers displayed in contrasting colors (4" min. size) (DSO-BAR) Building Address Retrofit	Zone Other
Is there a local ordinance requiring clearance on a neighboring parcel, if 100 feet of defensible space cannot be achieved?	Yes	The neighboring property may need to support the action; local jurisdiction will need to address this.	Zone Other

Home Hardening Actions

Primary Residence

Question	Response	Suggestion	Category	Requirement Status
Is there a combustible fence/gate attached to the residence?	Yes	Replace the fence attached to the home with a non-combustible option (metal or other option). - Distance (8' minimum) (ATT-FGR) Combustible Fence/Gate Retrofit	Attachments	Recommendation #1
How many exterior doors are wooden or have a wooden frame or a wooden threshold?	3	Install metal jam door kit and add metal threshold, metal kick plate and a metal door bottom (DOO-DPR) Exterior Door Partial Retrofit	Doors	Recommendation #1
How many exterior doors are wooden or have a wooden frame or a wooden threshold?	3	Replace with metal door frame, metal threshold, add metal kick plate and metal door bottom (DOO-DFR) Exterior Door Full Retrofit	Doors	Optional
How many screen doors are wooden?	2	Replace with a non-combustible frame, door and non-combustible screen mesh with openings not to exceed 1/8 inch (DOO-SDR) Exterior Sliding or Swinging Screen Retrofit	Doors	Recommendation #2
How many screen doors don't have a metal screen mesh?	2	Replace with non-combustible screen mesh with openings not to exceed 1/8 inch (DOO-SDR) Exterior Sliding or Swinging Screen Retrofit	Doors	Recommendation #2

Home Hardening Actions

Primary Residence

Question	Response	Suggestion	Category	Requirement Status
Does the garage door have a wood frame?	Yes	Add metal flashing to garage door jambs and headers (go as close to the ground as possible (1/4 inch desired, raise wood and extend flushing to lower than bottom of wood) (CBC Chapter 7A compliant) (DOO-GPR) Garage Door Partial Retrofit	Doors	Recommendation #1
Is there gasketing on the garage door that is not Chapter 7A compliant?	Yes	Add gasketing to garage door (CBC Chapter 7A compliant) (DOO-GGR) Garage Door Perimeter Gap Retrofit	Doors	Recommendation #1
Is there combustible siding at the roof-to-wall intersection (i.e. around dormers or other assemblies)?	Yes	Replace combustible siding at the roof-to-wall intersection with non-combustible siding (WAL-RWR) Combustible Wall at Roof Intersection Retrofit	Roof	Recommendation #1
Is there combustible siding at the roof-to-wall intersection (i.e. around dormers or other assemblies)?	Yes	Install metal flashing at roof-to-wall intersection to extend a minimum of 6" up the wall (ensure moisture barrier) (WAL-FRR) Combustible Wall at Roof Intersection Flashing Retrofit	Roof	Optional
Is the roof sheathing exposed (not covered by fascia) or is there no metal flashing on drip edge?	Yes	Add metal flashing if fascia does not cover roof sheathing and metal drip edge. (ROO-DER) Roof Drip Edge Retrofit	Roof	Recommendation #1

Home Hardening Actions

Primary Residence

Question	Response	Suggestion	Category	Requirement Status
How many under eave vents are not-ember/flame resistant?	67	Replace with ember and flame-resistant vents and add fire resistive calking around all blocking at the wall roof junction (Materials tested in accordance with ATSM 814E (UL 1479)) (VEN-ARR) Attics and Rafter Space Flame and Ember Resistant Vent Retrofit	Vents	Recommendation #1
How many under eave vents are not-ember/flame resistant?	67	Create a soffit eave (horizontal) or closed eave(angled) using non-combustible or ignition-resistant material (EAV-ECR) Enclosed Roof Eaves and Roof Eave Soffits Conversion Retrofit	Vents	Optional
How many crawl space vents are not ember/flame resistant?	24	Replace crawl space vents with ember and flame-resistant vent (CBC Chapter 7A compliant) (VEN-UFR) Under-Floor Ventilation Flame and Ember Resistant Vent Retrofit or (VEN-UMR) Under-Floor Ventilation Metal Mesh Vent Retrofit	Vents	Recommendation #1

Home Hardening Actions

Primary Residence

Question	Response	Suggestion	Category	Requirement Status
How many crawl space vents are not ember/flame resistant?	24	Replace crawl space vents with ember and flame-resistant vents and add moisture barrier (reducing required vent area by 10x) (VEN-UFR) Under-Floor Ventilation Flame and Ember Resistant Vent Retrofit or (VEN-UMR) Under-Floor Ventilation Metal Mesh Vent Retrofit	Vents	Optional
How many crawl space vents are not ember/flame resistant?	24	Convert to unvented crawl space.	Vents	Optional
How many dryer vents do not have a metal flapper?	1	Install metal flappers on dryer vents (closed unless in use) (VEN-DVR) Dryer Vent Retrofit	Vents	Recommendation #1
Is there combustible siding within 2 feet of the ground?	Yes	Replace exterior wall covering with noncombustible option for the bottom 2 ft (from ground). If there are any gaps between the exterior siding and foundation add metal flashing to protect bottom edge of sheathing. (WAL-WPR) Exterior Wall Partial Retrofit	Walls	Recommendation #1
Are there any wall penetrations with gaps greater than 1/8 inch?	Yes	Close gaps with fire caulking (WAL-WPR) Exterior Wall Partial Retrofit	Walls	Recommendation #1
Are there any wall penetrations with gaps greater than 1/8 inch?	Yes	Repair existing siding (WAL-WPR) Exterior Wall Partial Retrofit	Walls	Optional

Home Hardening Actions

Primary Residence

Question	Response	Suggestion	Category	Requirement Status
How many exterior wooden frame, double pane windows are there?	2	Add non-combustible metal mesh screen with openings not to exceed 1/8 inch (WIN-SCR) Exterior Window Screen Retrofit	Windows	Recommendation #1
How many exterior wooden frame, double pane windows are there?	2	Replace with non-combustible frame and double pane windows (CBC Chapter 7a compliant) (WIN-WRR) Exterior Window Retrofit	Windows	Recommendation #1
How many exterior wooden frame, double pane windows are there?	2	For exposed wooden frame, double pane windows replace with a noncombustible frame and double pane tempered glass window. (WIN-WRR) Exterior Window Retrofit	Windows	Recommendation #1
How many exterior opening windows do not have metal screens installed?	11	Replace with a non-combustible metal mesh screen with openings not to exceed 1/8 inch (WIN-SCR) Exterior Window Screen Retrofit	Windows	Recommendation #2

Primary Residence – Exposure Sides A-D

Primary Residence – Exposure Side A

Question	Response	Suggestion	Requirement Status
----------	----------	------------	--------------------

Primary Residence – Exposure Side B

Question	Response	Suggestion	Requirement Status
----------	----------	------------	--------------------

Primary Residence – Exposure Side C

Question	Response	Suggestion	Requirement Status
----------	----------	------------	--------------------

Primary Residence – Exposure Side D

Question	Response	Suggestion	Requirement Status
----------	----------	------------	--------------------

Auxiliary Building(s) – Exposure Sides A-D

Auxiliary Building(s) – Exposure Side A

Auxiliary Building Number	Question	Response	Suggestion	Category	Requirement Status
---------------------------	----------	----------	------------	----------	--------------------

Auxiliary Building(s) – Exposure Side B

Auxiliary Building Number	Question	Response	Suggestion	Category	Requirement Status
---------------------------	----------	----------	------------	----------	--------------------

Auxiliary Building(s) – Exposure Side C

Auxiliary Building Number	Question	Response	Suggestion	Category	Requirement Status
---------------------------	----------	----------	------------	----------	--------------------

Auxiliary Building(s) – Exposure Side D

Auxiliary Building Number	Question	Response	Suggestion	Category	Requirement Status
---------------------------	----------	----------	------------	----------	--------------------

Auxiliary Structure(s) – Exposure Side A-D

Auxiliary Structure(s) – Exposure Side A

Question	Response	Suggestion	Requirement Status
Structure Types:		Total Structure Count:	

Auxiliary Structure(s) – Exposure Side B

Question	Response	Suggestion	Requirement Status
Structure Types:		Total Structure Count:	

Auxiliary Structure(s) – Exposure Side C

Question	Response	Suggestion	Requirement Status
Structure Types:		Total Structure Count:	

Auxiliary Structure(s) – Exposure Side D

Question	Response	Suggestion	Requirement Status
Structure Types:		Total Structure Count:	

Full Survey Results

This section contains the raw data collected during the home assessment.

General Property Notes:

Defensible Space Questions

Zone 0 Questions (Note: Survey collected prior to 06/2023 may have incomplete data for Zone 0.)

Question	Response
Are there leaves, needles or other vegetation on roofs, gutters, decks, porches, stairways, etc.?	No
<i>There are no applicable photos.</i>	
Is there any live, dead, or dying vegetation present? (e.g., herbaceous ground cover, plants, grass lawns, shrubs, bushes).	Yes

Zone 0 Questions (Note: Survey collected prior to 06/2023 may have incomplete data for Zone 0.)

Question

Response




Zone 0 Questions (Note: Survey collected prior to 06/2023 may have incomplete data for Zone 0.)

Question

Response



Zone 0 Questions (Note: Survey collected prior to 06/2023 may have incomplete data for Zone 0.)

Question	Response
	

Zone 0 Questions (Note: Survey collected prior to 06/2023 may have incomplete data for Zone 0.)

Question

Response



Zone 0 Questions (Note: Survey collected prior to 06/2023 may have incomplete data for Zone 0.)

Question

Response



Zone 0 Questions (Note: Survey collected prior to 06/2023 may have incomplete data for Zone 0.)

Question	Response
Are there any live or dead tree branches within 10 feet or local ordinance distance above the roof or from any chimneys or stovepipe outlets or within five feet of the sides of residence?	No
<i>There are no applicable photos.</i>	
Are there any logs or stumps present?	No
<i>There are no applicable photos.</i>	
Are there any other miscellaneous combustible materials present?	No
Materials present:	
<i>There are no applicable photos.</i>	
Are there planting pots or containers, regardless of material, mounted on the structure or located directly beneath a window?	No
<i>There are no applicable photos.</i>	
Are there combustible materials located on top of or underneath a deck, balcony, or stairs that could catch fire?	No
<i>There are no applicable photos.</i>	
Does the residence need hardscaping, including around attachments such as decks?	Yes
Sides needing landscaping: B, C	


Zone 0 Questions (Note: Survey collected prior to 06/2023 may have incomplete data for Zone 0.)

Question	Response
	
Are there any woodpiles not completely covered in a fire-resistant material?	No
There are no applicable photos.	
Notes:	

Zone 0 Questions (Note: Survey collected prior to 06/2023 may have incomplete data for Zone 0.)

Question	Response
<p data-bbox="993 199 1106 232">Photo(s)</p> <p data-bbox="846 256 1253 289"><i>There are no applicable photos.</i></p>	

Zone 1 Questions

Question	Response
Are there any dead and dying trees, branches and shrubs or other plants adjacent to or overhanging auxiliary buildings or miscellaneous structures?	No
<i>There are no applicable photos.</i>	
Are there logs or stumps?	Yes
	
Are there dead and dying grass, plants, shrubs, trees, branches, leaves, weeds and needles within 30 feet or local ordinance distance of the home?	No
<i>There are no applicable photos.</i>	
Do trees, shrubs or ground cover lack minimal vertical or horizontal spacing?	Yes


Zone 1 Questions

Question	Response
 	
<p>Are all woodpiles located greater than 30 feet or local ordinance distance from any structure unless completely covered in a fire-resistant material?</p>	<p>No</p>
<p><i>There are no applicable photos.</i></p>	
<p>Notes:</p>	


Zone 1 Questions

Question	Response
<p data-bbox="989 196 1108 232">Photo(s)</p> <p data-bbox="842 253 1255 289"><i>There are no applicable photos.</i></p>	

Zone 2 Questions

Question	Response
Are there annual grass and forbs that exceed 4 inches in height or local ordinance height?	No
<i>There are no applicable photos.</i>	
Are tree branches touching the ground or not trimmed up 6 feet or local ordinance height from the ground?	No
<i>There are no applicable photos.</i>	
Is there vertical spacing less than (3x the height of shrubs) between shrubs and trees?	Yes
	
Is the horizontal spacing between the trees and shrubs on the property closer than the distance provided by state or local ordinance?	Yes


Zone 2 Questions

Question	Response
	
If there are exposed woodpiles, is there flammable vegetation within 10 feet or local ordinance distance of the wood pile?	No Woodpile
<i>There are no applicable photos.</i>	
Are there any dead or dying woody surface or aerial fuels?	No
<i>There are no applicable photos.</i>	
Is there surface litter that exceeds 3 inches deep or local ordinance depth , such as fallen leaves or needles, twigs, bark, cones, and small branches?	No
<i>There are no applicable photos.</i>	
Are there logs or stumps embedded in the soil that are close to other vegetation?	No
<i>There are no applicable photos.</i>	
Notes: Rosemary is stabilizing the graded soil. It is currently automatically irrigated.	

Zone 2 Questions

Question	Response
<p>Photo(s)</p> <p><i>There are no applicable photos.</i></p>	

Other Questions


Question	Response
Is there flammable vegetation closer than 10 feet or local ordinance distance of any outbuildings or propane tanks?	No Outbuildings or Propane Tanks
<i>There are no applicable photos.</i>	
Is the address sign obstructed or not visible from the street or access road?	No
<i>There are no applicable photos.</i>	
Does the address sign need to be retrofitted with contrasting reflective colors (4" min. size)?	Yes
	
Are chimney and/or stovepipe openings covered with a metal screen mesh with openings greater than 1/2 inch?	No
<i>There are no applicable photos.</i>	
If there is a propane tank, how far away is the propane tank from the home?	No Propane Tank
Is there a local ordinance requiring clearance on a neighboring parcel, if 100 feet of defensible space cannot be achieved?	Yes
What is the distance between the structure and the property line?	30-100 Feet

Other Questions


Question	Response
What is the dominate broad vegetation type?	Timber Brush Mix
Is there a watercourse within the defensible space zone or within 100 feet of the work area (such as a stream, river, etc., with or without flowing water)?	No
Are there any trees >12 inches that need to be removed?	No
Notes:	
<p style="text-align: center;">Photo(s)</p> <p style="text-align: center;"><i>There are no applicable photos.</i></p>	

Home Hardening Questions - Primary Residence and Attachments

Roof Questions

Question	Response
Does the property have a non-fire retardant treated wood shake or wood shingle roof or a non-rated roof?	No
<i>What type of roof does the structure have?</i>	A
<i>Is the roof degraded or at the end of the roof covering's life expectancy?</i>	No
Are there any skylights on the roof?	No
Is there combustible siding at the roof-to-wall intersection? (i.e., around dormers or other assemblies)?	Yes
Does the gutter lack a cover or is it combustible?	No
Is the roof sheathing exposed (not covered by fascia) or is there no metal flashing on drip edge?	Yes
Does the roof covering have openings between the covering and the roof decking at the edge or ridge?	No
Roof Notes:	
<p style="text-align: center;">Photo(s)</p> 	


Roof Questions

Question	Response
	


Wall Questions

Question	Response
Is there combustibile siding within 2 feet of the ground?	Yes
Are there any wall penetrations with gaps greater than 1/8 inch?	Yes
Wall Notes: Side A (front door): siding goes all the way to the ground on the covered area. Side A (Garage doors): There's gaps between garage door trim and wall. Side B (covered patio): siding goes all the way to the ground. Side C: Siding goes all the way to the ground on on end (surface is uneven) on the plant bed area.	
Photo(s)	

Wall Questions

Question	Response
	


Wall Questions

Question	Response
	


Wall Questions

Question	Response
	

Wall Questions

Question	Response
	


Wall Questions

Question	Response
	


Vent Questions

Question	Response
Are there ridge vents?	No
Are there off-ridge vents?	No
Are there gable vents?	No
Are there any under eave vents?	Yes
- How many under eave vents are not-ember/flame resistant?	67

Vent Questions

Question	Response
- <i>If ember/flame resistant vents are in place are there any gaps around the truss ends or blocking that will allow ember intrusion into the attic or open eaves?</i>	No
Are there crawl space vents?	Yes
- <i>How many crawl space vents are not ember/flame resistant?</i>	24
Are there dryer vents?	Yes
- <i>How many dryer vents do not have a metal flapper?</i>	1
Is there a make-up air intake?	No
Are there other penetrations?	No
Vents Notes: Under Eave vents have 1/16" mesh - can use pop-ins for extra protection. Crawl space vents are metal with 1/8" mesh, they do not need replacement.	
<p style="text-align: center;">Photo(s)</p> 	

Vent Questions

Question	Response
	

Window Questions



Question	Response
How many exterior opening windows are there?	16
- How many exterior windows are single pane?	0
- How many exterior windows do not have one pane of tempered glass?	14
- How many exterior wooden frame, double pane windows are there?	2
- How many exterior opening windows do not have metal screens installed?	11

Windows Notes: 2 wooden frame windows with tempered panes.

Photo(s)



Window Questions

Question	Response
 	

Door Questions

Question	Response
How many exterior doors are wooden or have a wooden frame or a wooden threshold?	3

Door Questions


Question	Response
Are there any wooden exterior sliding doors?	No
Are there any screen doors?	Yes
- Enter the number of screen doors.	2
- How many screen doors are wooden?	2
- How many screen doors have a metal screen mesh?	2
Is there a garage?	Yes
- Is the garage door wooden?	No
- Does the garage door have a wood frame?	Yes
- Are there gaps around the garage door or gasketing on the garage door that are not Chapter 7A compliant?	Yes

Doors Notes: 3 wooden doors, one metal with wooden frame. 2 of the wooden doors have tempered windows.



Photo(s)




Door Questions

Question	Response
	

Door Questions

Question	Response
<div data-bbox="651 232 1446 680">A photograph of a front entrance featuring a dark wood door with a decorative metal handle. The door is framed by teal-colored trim. On either side of the door are teal-framed windows. Two large, colorful ceramic pots with green plants sit on the concrete steps leading to the door.</div> <div data-bbox="651 716 1446 1167">A photograph of a two-car garage with white doors and teal-colored trim. The garage is set against a light blue wall. A small black rectangular mark is visible on the wall between the two doors. The driveway in front is made of concrete.</div>	


Door Questions

Question	Response
	



Attachment Questions

Question	Response
Is there a deck or landing attached to the residence?	No
Is there a combustible fence attached to the residence?	Yes
Are there combustible steps attached to the residence?	No
Are there combustible handrails attached to the residence?	No
Are there other combustible attachments to the residence?	No
Are retaining walls attached or within 5 feet of the residence?	No
Is there any combustible furniture outside of the residence?	No
Is there an attached combustible pergola/trellis?	No
Attachments Notes: Gate by garage 6' per sheet Gate side B 5' Fence side C 4', gate 3' 4" Remove rose enclosure	
Photo(s)	

Attachment Questions

Question	Response
 <p>The top photograph shows a closed wooden gate in a backyard. To the left is a white house with a black metal door. To the right is a green recycling bin. The bottom photograph shows an open wire mesh gate leading to a driveway where a silver trailer is parked. A white mailbox is visible on the left side of the gate.</p>	

Attachment Questions

Question	Response
 	

Crawl or Open Space Under Residence Questions

Question	Response
Is there an open space under the residence (e.g., pier and post foundation)?	No



Crawl or Open Space Under Residence Questions

Question	Response
Are there gaps around crawl space or open space under residence access points?	No
Crawl Space Notes:	
Photo(s)	
<i>There are no crawl space photos to display.</i>	

Surrounding Parcel Hazards – Detached – Hazard Mitigation Questions – Side A-D


Side A

Question	Response
Is there a neighboring primary residence with a structure separation distance between 25-50 feet of the residence?	No
Are there obstacles that cannot be mitigated for the property owner to be able to achieve the required 100 foot of vegetation management compliance? (e.g., property boundary)	No
Are there any auxiliary buildings within 50 feet from the residence on the (primary or neighboring parcel)?	No
Are there any large auxiliary structures greater than 120 square feet and/or fuels (e.g.: gazebo, RV's, boats) within 50 feet from the residence on the (primary or neighboring parcel)?	No
Are there any double (parallel) combustible fences within 20 feet from the residence, auxiliary buildings, or other combustible structures on the (primary or neighboring parcel)?	No
Are there any single combustible fences (non-attached) within 10 feet from the residence, auxiliary buildings, or other combustible structures on the (primary or neighboring parcel)?	No
Is there a combustible retaining wall within 10 feet of the residence, auxiliary buildings, or other combustible structures on the (primary or neighboring parcel)?	No
Is there any firewood stored within 30 feet from the residence, auxiliary buildings or other combustible structures on the (primary or neighboring parcel)?	No
Are there small combustibles (door mats, planters, garden hoses, etc.) within 5 feet of the residence?	No
<i>Notes - Hazard Mitigation Side A:</i>	
<i>Hazard Mitigation Side A Photos:</i>	

Question	Response
	<div data-bbox="1409 276 1808 500"></div> <div data-bbox="1409 539 1808 763"></div>


Side B

Question	Response
Is there a neighboring primary residence with a structure separation distance between 25-50 feet of the residence?	No
Are there obstacles that cannot be mitigated for the property owner to be able to achieve the required 100 foot of vegetation management compliance? (e.g., property boundary)	No
Are there any auxiliary buildings within 50 feet from the residence on the (primary or neighboring parcel)?	No
Are there any large auxiliary structures greater than 120 square feet and/or fuels (e.g.: gazebo, RV's, boats) within 50 feet from the residence on the (primary or neighboring parcel)?	No
Are there any double (parallel) combustible fences within 20 feet from the residence, auxiliary buildings, or other combustible structures on the (primary or neighboring parcel)?	No
Are there any single combustible fences (non-attached) within 10 feet from the residence, auxiliary buildings, or other combustible structures on the (primary or neighboring parcel)?	No
Is there a combustible retaining wall within 10 feet of the residence, auxiliary buildings, or other combustible structures on the (primary or neighboring parcel)?	No
Is there any firewood stored within 30 feet from the residence, auxiliary buildings or other combustible structures on the (primary or neighboring parcel)?	No
Are there small combustibles (door mats, planters, garden hoses, etc.) within 5 feet of the residence?	No
<i>Notes - Hazard Mitigation Side B: Nexdoor home 55' away.</i>	
<i>Hazard Mitigation Side B Photos:</i>	

Question	Response
	

Side C


Question	Response
Is there a neighboring primary residence with a structure separation distance between 25-50 feet of the residence?	No
Are there obstacles that cannot be mitigated for the property owner to be able to achieve the required 100 foot of vegetation management compliance? (e.g., property boundary)	No
Are there any auxiliary buildings within 50 feet from the residence on the (primary or neighboring parcel)?	No
Are there any large auxiliary structures greater than 120 square feet and/or fuels (e.g.: gazebo, RV's, boats) within 50 feet from the residence on the (primary or neighboring parcel)?	No
Are there any double (parallel) combustible fences within 20 feet from the residence, auxiliary buildings, or other combustible structures on the (primary or neighboring parcel)?	No
Are there any single combustible fences (non-attached) within 10 feet from the residence, auxiliary buildings, or other combustible structures on the (primary or neighboring parcel)?	No
Is there a combustible retaining wall within 10 feet of the residence, auxiliary buildings, or other combustible structures on the (primary or neighboring parcel)?	No
Is there any firewood stored within 30 feet from the residence, auxiliary buildings or other combustible structures on the (primary or neighboring parcel)?	No
Are there small combustibles (door mats, planters, garden hoses, etc.) within 5 feet of the residence?	No
<i>Notes - Hazard Mitigation Side C:</i>	
<i>Hazard Mitigation Side C Photos:</i>	

Question		Response	
			

Side D

Question	Response
Is there a neighboring primary residence with a structure separation distance between 25-50 feet of the residence?	No
Are there obstacles that cannot be mitigated for the property owner to be able to achieve the required 100 foot of vegetation management compliance? (e.g., property boundary)	No
Are there any auxiliary buildings within 50 feet from the residence on the (primary or neighboring parcel)?	No
Are there any large auxiliary structures greater than 120 square feet and/or fuels (e.g.: gazebo, RV's, boats) within 50 feet from the residence on the (primary or neighboring parcel)?	No
Are there any double (parallel) combustible fences within 20 feet from the residence, auxiliary buildings, or other combustible structures on the (primary or neighboring parcel)?	No
Are there any single combustible fences (non-attached) within 10 feet from the residence, auxiliary buildings, or other combustible structures on the (primary or neighboring parcel)?	No
Is there a combustible retaining wall within 10 feet of the residence, auxiliary buildings, or other combustible structures on the (primary or neighboring parcel)?	No
Is there any firewood stored within 30 feet from the residence, auxiliary buildings or other combustible structures on the (primary or neighboring parcel)?	No
Are there small combustibles (door mats, planters, garden hoses, etc.) within 5 feet of the residence?	No
<i>Notes - Hazard Mitigation Side D:</i>	
<i>Hazard Mitigation Side D Photos:</i>	

Side D

Question	Response
	

EHP Photos

Photo of the main structure from Side A





Photo of the main structure from Side B



Photo of the main structure from Side C



Photo of the main structure from Side D



Photo of the streetscape



Photo of the structure at 3/4 view (front/side corner façade)



Photo with the structure showing the surroundings



